

Nuance

PATIO DOOR SERIES



www.NuanceDoors.com

RONA


Nuance

Nuance PLUS

Nuance PRO



GARDEN DOOR OPTION WITH CONTOUR GRILLS



GARDEN DOOR OPTION WITH RECTANGULAR GRILLS 3 X 5

FEATURES

- PRIMED WOOD FRAME
- 140 MM (5 1/2") OR 168 MM (6 5/8") OR 184 MM (7 1/4")
- PVC CAPPED EXTERIOR FRAME
- PVC INTERIOR CAPPED SILL
- TANDEM BALL BEARING ROLLERS

2 POSITION FOOT LOCK



Low-E WITH ARGON GAS

AVAILABLE WITH TRIPLE GLAZED, DOUBLE LOW-E WITH ARGON GAS



AVAILABLE WITH NUANCE PLUS ONLY



Low-E

OPTIONS

CHOOSE YOUR COLOUR
ASK TO SEE OUR FULL SELECTION



MORTISE "D" HANDLE



MORTISE WITH KEYLOCK



METALLIC MORTISE HANDLES



SECURITY BAR



RECTANGULAR GRILLS




GEORGIAN GRILLS



SLIMLINE GRILLS



SDL GRILLS



OPTIONS

	NUANCE	PLUS	PRO
LOW-E GLASS WITH ARGON GAS	o	INCLUDED	INCLUDED*
V GROOVE / LOW-E GLASS WITH ARGON GAS	o	N/A	N/A
BRONZE OR GREY GLASS	o	o	N/A
GARDEN DOORS WITH EMBOSSED OR FLAT PANELS	o	N/A	N/A
PVC INTERIOR CAPPING	o	o	o
INTERIOR FRAME EXTENSION	o	o	o
PVC BRICKMOULD WITH ANODIZED ALUMINUM SILL EXTENSION	o	o	o
PVC CAPPED WOOD BRICKMOULD 1 1/2" & 2" WITH ANODIZED ALUMINUM SILL EXTENSION	o	o	o
NAILING FIN	o	o	o
SECURITY BAR	o	o	o
KEY LOCK	o	o	o
PAINTED DOORS	o	o	o
PAINTED GRILLS	o	o	N/A

o = OPTION

*ARGON GAS NOT INCLUDED IN NUANCE PRO

OPEN, CLOSE, RAISE OR LOWER IT!

ADD INTERNAL BLINDS TO YOUR SLIDING PATIO DOOR AND GAIN INCREASED PRIVACY CONTROL.

RAISE / LOWER



TILT OPEN / CLOSE




PERFORMANCE

PLEASE SEE OUR WEBSITE FOR PERFORMANCE INFORMATION AT:

[HTTP://WWW.NUANCEDOORS.COM/](http://www.nuancedoors.com/)



INSIDE YOUR DOOR



1. PVC capped exterior frame
2. Sturdy extruded aluminium screen frame
3. PVC brick mould*
4. Sill extension*
5. High-fin weatherstrip
Prevents heat loss and air infiltration
6. Fiberglass screen mesh
7. Galvanized steel reinforcing
8. Primed wood frame

*OPTIONAL

ENERGIZE YOUR HOME WITH LOW-E ARGON



Please check if your door configuration is Energy Star certified for your region at www.nrcan.gc.ca

GUARANTEES

20 YEARS ON INSULATED GLASS SEAL FAILURE
(NUANCE PRO GUARANTEED FOR 10 YEARS)

10 YEARS AGAINST SPONTANEOUS GLASS BREAKAGE
(INSIDE GLASS ONLY, NOT APPLICABLE TO NUANCE PRO)

10 YEARS ON PVC

10 YEARS ON SEAL FAILURE AND INTERNAL BLIND OPERATION
(FOR NUANCE PRO ONLY)

SIZES : Widths shown - Non standard sizes also available.

2 Lites - XO/OX

			N	PL	PR
5' reno	1486 mm	58 1/2"	✓		
5'	1508 mm	59 3/8"	✓	✓	✓
6'	1788 mm	70 3/8"	✓	✓	✓
7'	2118 mm	83 3/8"	✓	✓	
8'	2394 mm	94 1/4"	✓	✓	

3 Lites - X00/X0X/O0X

			N	PL	PR
8'	2227 mm	87 11/16"	✓		
9'	2646 mm	104 3/16"	✓		
10'	3142 mm	123 11/16"	✓		
12'	3556 mm	140"	✓		
8'	2183 mm	85 15/16"		✓	
9'	2602 mm	102 7/16"		✓	
10'	3097 mm	121 15/16"		✓	
12'	3512 mm	138 1/4"		✓	

3 Lites - OXO

			N	PL	PR
8'	2264 mm	89 1/8"	✓		
9'	2683 mm	105 5/8"	✓		
10'	3178 mm	125 1/8"	✓		
12'	3593 mm	141 7/16"	✓		
8'	2289 mm	90 1/8"		✓	✓
9'	2708 mm	106 5/8"		✓	✓
10'	3204 mm	126 1/8"		✓	
12'	3618 mm	142 7/16"		✓	

4 Lites - OXXO

			N	PL	PR
10'	2951 mm	116 3/16"	✓	✓	✓
12'	3510 mm	138 3/16"	✓	✓	✓

Heights

All Models (Nuance, Plus, Pro): 2011 mm (79 3/16")
2062 mm (81 3/16")
2433 mm (95 3/8")*

5', 6' and 9' (Nuance only): 1813 mm (71 3/8")

*Not available with Pro

Model Availability

N = Available with Nuance
PL = Available with Plus
PR = Available with Pro